



REVISIONS				
ZONE	LTR	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	3/6/03	JRC

- NOTES:
1. UNIT'S MOUNTING SURFACE SHALL BE ATTACHED TO A HEAT SINK CAPABLE OF DISSIPATING THE DEVICES POWER CONSUMPTION WITHOUT EXCEEDING THE OPERATING TEMPERATURE LIMITS.
 2. REFER TO THE ACTUAL DEVICE SPECIFICATION SHEET FOR BIAS REQUIREMENTS. NEGATIVE BIAS INPUT VOLTAGE (V-) MAY NOT BE INCLUDED ON CERTAIN MODELS.
 3. UNLESS NOTED ON THE SPECIFICATION SHEET, WHEN NEGATIVE BIAS IS REQUIRED, DO NOT POWER THE UNIT WITH POSITIVE BIAS FOR MORE THAN 1 SECOND WITHOUT THE NEGATIVE BIAS BEING APPLIED.

		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON			100 Davids Drive, Hauppauge, New York 11788	
		DECIMALS	ANGLES			
		.XX±.02	.XXX±.01	±0°30'	DRN BY <i>F. Cannata</i> DATE 3/6/03 CHKD BY <i>JRC</i> DATE 4/10/03 APPROVED BY _____ PROJ ENGR <i>F. Cannata</i> DATE 4/18/03 ENG SECT _____ Q.A. _____	
		MATERIAL			SIZE CODE IDENT. NO. B 33592	
		FINISH			149478	
NEXT ASSY USED ON		HEAT TREAT			REV. A	
APPLICATION					SCALE REF SHEET 1 OF 1	